



**Bi-Part Sliding  
Cooler/Freezer  
Door  
MODEL XP 2000**

**PART'S MANUAL**

### Instructions for Ordering

This parts manual is intended to assist in the correct identification of the more commonly replaced parts. The manual will also help identify obsolete parts, part design changes and current production parts. For more specific parts information, please contact an authorized representative or consult the Factory's Customer Service or Engineering Departments. ASI Doors reserves the right to discontinue any part and make design changes without notice.

#### General Instructions for Ordering Door Parts

**Accurate information is always necessary to serve you correctly and promptly. Several steps should be followed to determine exactly the parts that are needed.**

Refer to the information tag on your door and record the:

1. Door model number
2. Job number
3. Door number
4. Manufacturing date.

Use part numbers referenced in this manual.

If the item is not found in the manual, the product code on the back of the item is helpful.

If your door has no information label, the approximate purchase date is helpful.

**Once you have gathered the information above, call:**

**1-800-558-7068**

**or**

**Order Parts Online at:**

**[www.asidoors.com](http://www.asidoors.com)  
and follow the "Parts" link**

## XP 2000 Bi-Part Manual & Power

### Door Identification

Determining the **Job Number, Model and Year of Manufacture** of your door is necessary to provide quick and accurate parts identification. The following is a description of labels and their locations.

**When ordering parts, specify Job Number, Door Number and Manufacture Date**

Product Labels:

#### Manual Doors



|                                                                        |                                                                          |                                                                         |
|------------------------------------------------------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------------|
| <b>ASI Doors, Inc.</b>                                                 |                                                                          |                                                                         |
| MILWAUKEE                                                              | WISCONSIN                                                                | MADE IN USA                                                             |
| <small>DOOR MODEL</small><br><input style="width: 100%;" type="text"/> | <small>JOB NUMBER</small><br><input style="width: 100%;" type="text"/>   | <small>DOOR NUMBER</small><br><input style="width: 100%;" type="text"/> |
| <small>MFG. DATE</small><br><input style="width: 100%;" type="text"/>  | <small>INSPECTED BY</small><br><input style="width: 100%;" type="text"/> |                                                                         |

**Figure 44: ID Label - Manual Door.**


#### Power Doors

|                                                                           |                                                                           |                                                                            |                                                                      |
|---------------------------------------------------------------------------|---------------------------------------------------------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>ASI Doors, Inc.</b>                                                    |                                                                           |                                                                            |                                                                      |
| MILWAUKEE                                                                 | WISCONSIN                                                                 | MADE IN USA                                                                |                                                                      |
| <small>DOOR MODEL</small><br><input style="width: 100%;" type="text"/>    | <small>JOB NUMBER</small><br><input style="width: 100%;" type="text"/>    | <small>DOOR NUMBER</small><br><input style="width: 100%;" type="text"/>    |                                                                      |
| <small>MFG. DATE</small><br><input style="width: 100%;" type="text"/>     | <small>INSPECTED BY</small><br><input style="width: 100%;" type="text"/>  |                                                                            |                                                                      |
| <small>OPERATOR TYPE</small><br><input style="width: 100%;" type="text"/> | <small>MODEL #</small><br><input style="width: 100%;" type="text"/>       | <small>WIRING DIAGRAM</small><br><input style="width: 100%;" type="text"/> |                                                                      |
| <small>HORSEPOWER</small><br><input style="width: 100%;" type="text"/>    | <small>VOLTAGE/PHASE</small><br><input style="width: 100%;" type="text"/> | <small>HZ</small><br><input style="width: 100%;" type="text"/>             | <small>AMPERAGE</small><br><input style="width: 100%;" type="text"/> |

**Figure 45: ID Label - Power Door.**

**ID Tag Location****Figure 46: Label Location - Manual Door.****Figure 47: Label Location - Power Door.**

### Manual Header Assemblies



#### Note:

Views shown are RH assemblies. LH assemblies are the same except components are mirrored from view shown.


When ordering parts, specify Job Number, Door Number, and Manufacture Date.

### Manual Header Assemblies

| DESCRIPTION                                                  | HEADER #    |
|--------------------------------------------------------------|-------------|
| ASM. HEADER, BI-PART, MANUAL, ALUM, XP-2, AL & GV, WIC <=96" | 80B0004NVF1 |
| ASM. HEADER, BI-PART, MANUAL, ALUM, XP-2, AL & SS, WIC <=96" | 80B0004NVF2 |
| ASM. HEADER, BI-PART, MANUAL, ALUM, XP-2, AL & GV, WIC >96"  | 80B0004NVF3 |
| ASM. HEADER, BI-PART, MANUAL, ALUM, XP-2, AL & SS, WIC >96"  | 80B0004NVF4 |
| ASM. HEADER, BI-PART, MANUAL, SS                             | 80B0008NV20 |

| DESCRIPTION                                                | PART #      | ITEM # |
|------------------------------------------------------------|-------------|--------|
| ASM. HEADER, BI-PART, MAN, ALUM, XP-2, AL & GV, WIC <=96"  | 24B0533NVF1 | 1      |
| ASM. HEADER, BI-PART, MAN, ALUM, XP-2, AL & S/S, WIC <=96" | 24B0533NVF2 | 1      |
| ASM. HEADER, BI-PART, MAN, ALUM, XP-2, AL & GV, WIC >96"   | 24B0533NVF3 | 1      |
| ASM. HEADER, BI-PART, MAN, ALUM, XP-2, AL & S/S, WIC >96"  | 24B0533NVF4 | 1      |
| WLD MNT. HEADER, BI-PART, MANUAL, S/S                      | 28B0370NV20 | 1      |
| TROLLEY ASM, LH, XP-2, ZN                                  | 24B0563LN10 | 2      |
| TROLLEY ASM, LH, XP-2, S/S                                 | 24B0563LN20 | 2      |
| TROLLEY ASM, RH, XP-2, ZN                                  | 24B0563RN10 | 2      |
| TROLLEY ASM, RH, XP-2, S/S                                 | 24B0563RN20 | 2      |
| ASM. END STOP, LH, XP HEADER, ZN                           | 24B0377LN10 | 3      |
| ASM. END STOP, LH, XP HEADER, S/S, ZN                      | 24B0377LN20 | 3      |
| ASM. END STOP, RH, XP HEADER, ZN                           | 24B0377RN10 | 4      |
| ASM. END STOP, RH, XP HEADER, S/S                          | 24B0377RN20 | 4      |
| ASM. BELT BRKT W/CLAMP, UPPER, XP-2, ZN                    | 24B0557NN10 | 5      |
| ASM. BELT BRKT W/CLAMP, UPPER, XP-2, S/S                   | 24B0557NN20 | 5      |
| ASM. BELT BRKT W/CLAMP, LOWER, XP-2, ZN                    | 24B0559NN10 | 6      |
| ASM. BELT BRKT W/CLAMP, LOWER, XP-2, S/S                   | 24B0559NN20 | 6      |
| ASM. IDLER, XP-2, ZN                                       | 24B0536NN10 | 7      |
| ASM. IDLER, XP-2, S/S                                      | 24B0536NN20 | 7      |
| BELT, DRIVE, HTD-8mm PITCH, 20mm, (WIC * 3) + 22"          | 50B0073NN   | 8      |
| COVER, TROLLEY, BI-PART, XP, S/S                           | 13B1992NV20 | 9      |
| COVER, TROLLEY, BI-PART, XP, WHT STUCCO                    | 13B1992NV30 | 9      |
| STRIP, HDPE, HEADER, XP-2, (WIC * 2) + 27"                 | 11A0184NN   | 10     |
| SCREW, 1/4-20 x .625, BU/HD, SS                            | 41A535      | 11     |
| GROMMET, .875 ID (FREEZER ONLY)                            | 11A086      | 12     |
| JUNCTION BOX, WEATHERPROOF, 1-GANG (FREEZER ONLY)          | 22B029      | 13     |
| BELL BOX, COVER AND GASKET (FREEZER ONLY)                  | 22A084      | 14     |

### Power Header Assemblies



| DESCRIPTION                                                   | HEADER #    |
|---------------------------------------------------------------|-------------|
| ASM. HEADER, BI-PART, RH. PWR. ALUM. XP-2, AL & GV. WIC <=96" | 80B0003RVF1 |
| ASM. HEADER, BI-PART, RH. PWR. ALUM. XP-2, AL & SS. WIC <=96" | 80B0003RVF2 |
| ASM. HEADER, BI-PART, RH. PWR. ALUM. XP-2, AL & GV. WIC >96"  | 80B0003RVF3 |
| ASM. HEADER, BI-PART, RH. PWR. ALUM. XP-2, AL & SS. WIC >96"  | 80B0003RVF4 |
| ASM. HEADER, BI-PART, LH. PWR. ALUM. XP-2, AL & GV. WIC <=96" | 80B0003LVF1 |
| ASM. HEADER, BI-PART, LH. PWR. ALUM. XP-2, AL & SS. WIC <=96" | 80B0003LVF2 |
| ASM. HEADER, BI-PART, LH. PWR. ALUM. XP-2, AL & GV. WIC >96"  | 80B0003LVF3 |
| ASM. HEADER, BI-PART, LH. PWR. ALUM. XP-2, AL & SS. WIC >96"  | 80B0003LVF4 |
| ASM. HEADER, BI-PART, RH. PWR. S/S                            | 80B0007RV20 |
| ASM. HEADER, BI-PART, LH. PWR. S/S                            | 80B0007LV20 |



### Power Header Assemblies

| DESCRIPTION                                            | PART #      | ITEM # |
|--------------------------------------------------------|-------------|--------|
| ASM. HEADER, BI-PART, PWR, LH DRV, AL & GV, WIC <=96"  | 24B0532LVF1 | 1      |
| ASM. HEADER, BI-PART, PWR, LH DRV, AL & SS, WIC <=96"  | 24B0532LVF2 | 1      |
| ASM. HEADER, BI-PART, PWR, LH DRV, AL & GV, WIC >96"   | 24B0532LVF3 | 1      |
| ASM. HEADER, BI-PART, PWR, LH DRV, AL & SS, WIC >96"   | 24B0532LVF4 | 1      |
| ASM. HEADER, BI-PART, PWR, RH DRV, AL & GV, WIC <=96"  | 24B0532RVF1 | 1      |
| ASM. HEADER, BI-PART, PWR, RH DRV, AL & SS, WIC <=96"  | 24B0532RVF2 | 1      |
| ASM. HEADER, BI-PART, PWR, RH DRV, AL & GV, WIC >96"   | 24B0532RVF3 | 1      |
| ASM. HEADER, BI-PART, PWR, RH DRV, AL & SS, WIC >96"   | 24B0532RVF4 | 1      |
| WLDMNT. HEADER, BI-PART, PWR, LH DRV, S/S              | 28B0369LV20 | 1      |
| WLDMNT. HEADER, BI-PART, PWR, RH DRV, S/S              | 28B0369RV20 | 1      |
| TROLLEY ASM, LH, XP-2, ZN                              | 24B0563LN10 | 2      |
| TROLLEY ASM, LH, XP-2, S/S                             | 24B0563LN20 | 2      |
| TROLLEY ASM, RH, XP-2, ZN                              | 24B0563RN10 | 2      |
| TROLLEY ASM, RH, XP-2, S/S                             | 24B0563RN20 | 2      |
| ASM. BELT BRKT W/CLAMP, UPPER, XP-2, ZN                | 24B0557NN10 | 3      |
| ASM. BELT BRKT W/CLAMP, UPPER, XP-2, S/S               | 24B0557NN20 | 3      |
| ASM. BELT BRKT W/CLAMP, LOWER, XP-2, ZN                | 24B0559NN10 | 4      |
| ASM. BELT BRKT W/CLAMP, LOWER, XP-2, S/S               | 24B0559NN20 | 4      |
| ASM. IDLER, XP-2, ZN                                   | 24B0536NN10 | 5      |
| ASM. IDLER, XP-2, S/S                                  | 24B0536NN20 | 5      |
| ASM. END STOP, LH, XP HEADER, ZN                       | 24B0377LN10 | 6      |
| ASM. END STOP, LH, XP HEADER, S/S                      | 24B0377LN20 | 6      |
| ASM. END STOP, RH, XP HEADER, ZN                       | 24B0377RN10 | 7      |
| ASM. END STOP, RH, XP HEADER, S/S                      | 24B0377RN20 | 7      |
| OPTION, DRIVE & CONTROL                                | 55B0075     | 8      |
| BELT, DRIVE, HTD-8MM PITCH, 20MM, (WIC * 3) + 42"      | 50B0073NN   | 9      |
| COVER, TROLLEY, BI-PART, XP, S/S                       | 13B1992NV20 | 10     |
| COVER, TROLLEY, BI-PART, XP, WHT STUCCO                | 13B1992NV30 | 10     |
| STRIP, HDPE, HEADER, (WIC * 2) + 27"                   | 11A0184NN   | 11     |
| SCREW, 1/4-20 x .625, BU/HD, SS                        | 41A535      | 12     |
| GROMMET, .875 ID                                       | 11A086      | 13     |
| JUNCTION BOX, WEATHERPROOF, 1-GANG                     | 22B029      | 14     |
| BELL BOX, COVER AND GASKET                             | 22A084      | 15     |
| LABEL, SAFETY WARNING, MINIMUM DOOR OPENING HEIGHT     | 17A0296     | 16     |
| BELT GUARD, IDLER, XP HEADERS (DOORS < 7' 6" HIC ONLY) | 13B2497     | 17     |

#### Note:


Views shown are RH assemblies. LH assemblies are the same except components are mirrored from view shown.

When ordering parts, specify Job Number,  
Door Number, and Manufacture Date.



### Manual Header Shrouds

| F16 | F15 | F14 | F13 | F12 | F11 | F10 | F09 | DESCRIPTION                                          | PART#       |
|-----|-----|-----|-----|-----|-----|-----|-----|------------------------------------------------------|-------------|
| -   | -   | -   | -   | -   | -   | -   | X   | OPTION, SHROUD, XP2, BI-PART, MAN, LH, WIC<=72", GV  | 55B0247F09  |
| -   | -   | -   | -   | -   | -   | X   | -   | OPTION, SHROUD, XP2, BI-PART, MAN, LH, WIC<=72", S/S | 55B0247F10  |
| -   | -   | -   | -   | -   | X   | -   | -   | OPTION, SHROUD, XP2, BI-PART, MAN, RH, WIC<=72", GV  | 55B0247F11  |
| -   | -   | -   | -   | X   | -   | -   | -   | OPTION, SHROUD, XP2, BI-PART, MAN, RH, WIC<=72", S/S | 55B0247F12  |
| -   | -   | -   | X   | -   | -   | -   | -   | OPTION, SHROUD, XP2, BI-PART, MAN, LH, WIC>72", GV   | 55B0247F13  |
| -   | -   | X   | -   | -   | -   | -   | -   | OPTION, SHROUD, XP2, BI-PART, MAN, LH, WIC>72", S/S  | 55B0247F14  |
| -   | X   | -   | -   | -   | -   | -   | -   | OPTION, SHROUD, XP2, BI-PART, MAN, RH, WIC>72", GV   | 55B0247F15  |
| X   | -   | -   | -   | -   | -   | -   | -   | OPTION, SHROUD, XP2, BI-PART, MAN, RH, WIC>72", S/S  | 55B0247F16  |
| -   | -   | -   | -   | -   | -   | -   | -   |                                                      |             |
| -   | -   | -   | -   | -   | -   | -   | 1   | ASM, SHROUD, XP2, BI-PART, MAN, LH, WIC<=72", GV     | 24B0782LV10 |
| -   | -   | -   | -   | -   | -   | -   | 1   | ASM, SHROUD, XP2, BI-PART, MAN, LH, WIC<=72", S/S    | 24B0782LV20 |
| -   | -   | -   | -   | -   | 1   | -   | -   | ASM, SHROUD, XP2, BI-PART, MAN, RH, WIC<=72", GV     | 24B0782RV10 |
| -   | -   | -   | -   | 1   | -   | -   | -   | ASM, SHROUD, XP2, BI-PART, MAN, RH, WIC<=72", S/S    | 24B0782RV20 |
| -   | -   | -   | 1   | -   | -   | -   | -   | ASM, SHROUD, XP2, BI-PART, MAN, LH, WIC>72", GV      | 24B0783LV10 |
| -   | -   | 1   | -   | -   | -   | -   | -   | ASM, SHROUD, XP2, BI-PART, MAN, LH, WIC>72", S/S     | 24B0783LV20 |
| -   | 1   | -   | -   | -   | -   | -   | -   | ASM, SHROUD, XP2, BI-PART, MAN, RH, WIC>72", GV      | 24B0783RV10 |
| 1   | -   | -   | -   | -   | -   | -   | -   | ASM, SHROUD, XP2, BI-PART, MAN, RH, WIC>72", S/S     | 24B0783RV20 |
| 1   | 1   | 1   | 1   | 1   | 1   | 1   | 1   | SHROUD BRACKET REPLACEMENT REFERENCE DWG.            | 17B0062     |




#### Note:

When ordering replacement Shrouds or Shroud components, consult ASI parts dept. for P/N's and specifications specific to your door installation.


### Power Header Shrouds

| F16 | F15 | F14 | F13 | F12 | F11 | F10 | F09 | DESCRIPTION                                          | PART#       |
|-----|-----|-----|-----|-----|-----|-----|-----|------------------------------------------------------|-------------|
| -   | -   | -   | -   | -   | -   | -   | X   | OPTION, SHROUD, XP2, BI-PART, PWR, LH, WIC<=72", GV  | 55B0245F09  |
| -   | -   | -   | -   | -   | -   | X   | -   | OPTION, SHROUD, XP2, BI-PART, PWR, LH, WIC<=72", S/S | 55B0245F10  |
| -   | -   | -   | -   | -   | X   | -   | -   | OPTION, SHROUD, XP2, BI-PART, PWR, RH, WIC<=72", GV  | 55B0245F11  |
| -   | -   | -   | -   | X   | -   | -   | -   | OPTION, SHROUD, XP2, BI-PART, PWR, RH, WIC<=72", S/S | 55B0245F12  |
| -   | -   | -   | X   | -   | -   | -   | -   | OPTION, SHROUD, XP2, BI-PART, PWR, LH, WIC>72", GV   | 55B0245F13  |
| -   | -   | X   | -   | -   | -   | -   | -   | OPTION, SHROUD, XP2, BI-PART, PWR, LH, WIC>72", S/S  | 55B0245F14  |
| -   | X   | -   | -   | -   | -   | -   | -   | OPTION, SHROUD, XP2, BI-PART, PWR, RH, WIC>72", GV   | 55B0245F15  |
| X   | -   | -   | -   | -   | -   | -   | -   | OPTION, SHROUD, XP2, BI-PART, PWR, RH, WIC>72", S/S  | 55B0245F16  |
| -   | -   | -   | -   | -   | -   | -   | 1   | ASM, SHROUD, XP2, BI-PART, PWR, LH, WIC<=72", GV     | 24B0772LV10 |
| -   | -   | -   | -   | -   | -   | 1   | -   | ASM, SHROUD, XP2, BI-PART, PWR, LH, WIC<=72", S/S    | 24B0772LV20 |
| -   | -   | -   | -   | -   | 1   | -   | -   | ASM, SHROUD, XP2, BI-PART, PWR, RH, WIC<=72", GV     | 24B0772RV10 |
| -   | -   | -   | -   | 1   | -   | -   | -   | ASM, SHROUD, XP2, BI-PART, PWR, RH, WIC<=72", S/S    | 24B0772RV20 |
| -   | -   | -   | 1   | -   | -   | -   | -   | ASM, SHROUD, XP2, BI-PART, PWR, LH, WIC>72", GV      | 24B0773LV10 |
| -   | -   | 1   | -   | -   | -   | -   | -   | ASM, SHROUD, XP2, BI-PART, PWR, LH, WIC>72", S/S     | 24B0773LV20 |
| -   | 1   | -   | -   | -   | -   | -   | -   | ASM, SHROUD, XP2, BI-PART, PWR, RH, WIC>72", GV      | 24B0773RV10 |
| 1   | -   | -   | -   | -   | -   | -   | -   | ASM, SHROUD, XP2, BI-PART, PWR, RH, WIC>72", S/S     | 24B0773RV20 |
| 1   | 1   | 1   | 1   | 1   | 1   | 1   | 1   | SHROUD BRACKET PLACEMENT REFERENCE DWG.              | 17B0062     |



When ordering parts, specify Job Number,  
Door Number, and Manufacture Date.


### End Stop Assemblies



| RN20 | RN10 | LN20 | LN10 | DESCRIPTION                           | PART #      | ITEM # |
|------|------|------|------|---------------------------------------|-------------|--------|
| -    | -    | -    | 1    | ASM. END STOP, LH, XP HEADER, ZN      | 24B0377LN10 | -      |
| -    | -    | 1    | -    | ASM. END STOP, LH, XP HEADER, S/S     | 24B0377LN20 | -      |
| -    | 1    | -    | -    | ASM. END STOP, RH, XP HEADER, ZN      | 24B0377RN10 | -      |
| 1    | -    | -    | -    | ASM. END STOP, RH, XP HEADER, S/S     | 24B0377RN20 | -      |
| -    | -    | -    | -    |                                       |             |        |
| -    | -    | -    | 1    | END STOP, ROLLER TRUCK, LH, XP HEADER | 13B1458LN10 | 1      |
| -    | -    | 1    | -    | END STOP, ROLLER TRUCK, LH, XP HEADER | 13B1458LN20 | 1      |
| -    | 1    | -    | -    | END STOP, ROLLER TRUCK, RH, XP HEADER | 13B1458RN10 | 2      |
| 1    | -    | -    | -    | END STOP, ROLLER TRUCK, RH, XP HEADER | 13B1458RN20 | 2      |
| -    | 1    | -    | 1    | WASHER, FLAT, 1/4, STANDARD, ZN       | 41A182      | 3      |
| 1    | -    | 1    | -    | WASHER, FLAT, 5/16, STANDARD, SS      | 41A608      | 3      |
| -    | 1    | -    | 1    | SCREW, 5/16-18 x 1.00, HHCS, ZN       | 41A061      | 4      |
| 1    | -    | 1    | -    | SCREW, 5/16-18 x 1.00, HHMS, SS       | 41A346      | 4      |
| -    | 1    | -    | 1    | NUT, 5/16-18, HEX, NYLOCK, ZN         | 41A332      | 5      |
| 1    | -    | 1    | -    | NUT, 5/16-18, HEX, NYLOCK, SS         | 41A671      | 5      |
| -    | 2    | -    | 2    | 3/8-16 X 1.000, HHCS, ZN              | 41A109      | 6      |
| 2    | -    | 2    | -    | 3/8-16 X 1.000, HHCS, SS              | 41A673      | 6      |
| -    | 2    | -    | 2    | 3/8-16, HEX NUT, WHZLK, ZN            | 41A216      | 7      |
| 2    | -    | 2    | -    | 3/8-16, HEX NUT, WHZLK, SS            | 41A710      | 7      |
| 1    | 1    | 1    | 1    | RUBBER BUMPER, END STOP               | 11A054      | 8      |


When ordering parts, specify Job Number, Door Number, and Manufacture Date.

### Trolley Assemblies




| S/S | ZN | DESCRIPTION                                          | PART #      | ITEM # |
|-----|----|------------------------------------------------------|-------------|--------|
| -   | 1  | TROLLEY ASSEMBLY, XP-2, ZN                           | 24B0563NN10 | -      |
| 1   | -  | TROLLEY ASSEMBLY, XP-2, S/S                          | 24B0563NN20 | -      |
| -   | 1  | ASM BRKT, ADJUSTMENT, TROLLEY, XP-2, ZN              | 24B0560NN10 | 1      |
| 1   | -  | ASM BRKT, ADJUSTMENT, TROLLEY, XP-2, S/S             | 24B0560NN20 | 1      |
| -   | 1  | ASM, WHEEL BRACKET, TROLLEY, XP-2, ZN                | 24B0562NN10 | 2      |
| 1   | -  | ASM, WHEEL BRACKET, TROLLEY, XP-2, S/S               | 24B0562NN20 | 2      |
| -   | 1  | ASM, WHEEL BRACKET W/CLINCH NUTS, TROLLEY, XP-2, ZN  | 24B0561NN10 | 3      |
| 1   | -  | ASM, WHEEL BRACKET W/CLINCH NUTS, TROLLEY, XP-2, S/S | 24B0561NN20 | 3      |
| 2   | 2  | ASSY, WHEEL, TROLLEY                                 | 24B0421NN   | 4      |
| 1   | 1  | WHEEL ASSY, LOWER, TROLLEY, BP / SSLD                | 24B0422NN   | 5      |
| 1   | 1  | SHOULDER SCREW, 1/2 X 1.50, 3/8-16, S/S              | 41A889      | 6      |
| 2   | 2  | SHOULDER SCREW, 1/2 X 1.00, 3/8-16, S/S              | 41A888      | 7      |
| 2   | 2  | SPACER, TROLLEY, UPPER                               | 12B0035NN20 | 8      |
| 1   | 1  | SPACER, TROLLEY, LOWER                               | 12B0036NN20 | 9      |
| 1   | 1  | 3/8-16 X 2.50 HEX BOLT, FULL THREAD, S/S             | 41A769      | 10     |
| 2   | 2  | WASHER, FLAT, 3/8, S/S                               | 41A203      | 11     |
| 1   | 1  | NYLON INSERT LOCKNUT, 3/8-16 UNC, S/S                | 41A770      | 12     |
| -   | 2  | SCREW, 3/8-16 X 5/8 WHIZ, ZN                         | 41A297      | 13     |
| 2   | -  | SCREW, 3/8-16 X 5/8 WHIZ, S/S                        | 41A839      | 13     |


### Door Panel Assemblies




(B4A / B6A)



(B4B / B6B)



(B4C / B6C)



(B4E / B6D)

PANEL CONFIGURATION AND P/N'S VARY BASED ON OPENING SIZE.  
CONSULT ASI FOR SPECIFIC PANEL P/N


### Door Panel Assemblies Continued...

| 4" PANEL ASSEMBLIES |             |                                                |
|---------------------|-------------|------------------------------------------------|
| OPTION #            | PART #      | DESCRIPTION                                    |
| 55B0069F1           | 86B0001LV20 | ASM. PANEL, 4", LH, BI-PART, STAINLESS, B4A    |
|                     | 86B0001RV20 | ASM. PANEL, 4", RH, BI-PART, STAINLESS, B4A    |
| 55B0069F2           | 86B0001LV30 | ASM. PANEL, 4", LH, BI-PART, WHITE STUCCO, B4A |
|                     | 86B0001RV30 | ASM. PANEL, 4", RH, BI-PART, WHITE STUCCO, B4A |
| 55B0069F3           | 86B0002LV20 | ASM. PANEL, 4", LH, BI-PART, STAINLESS, B4B    |
|                     | 86B0002RV20 | ASM. PANEL, 4", RH, BI-PART, STAINLESS, B4B    |
| 55B0069F4           | 86B0002LV30 | ASM. PANEL, 4", LH, BI-PART, WHITE STUCCO, B4B |
|                     | 86B0002RV30 | ASM. PANEL, 4", RH, BI-PART, WHITE STUCCO, B4B |
| 55B0069F5           | 86B0010LV20 | ASM. PANEL, 4", LH, BI-PART, STAINLESS, B4E    |
|                     | 86B0010RV20 | ASM. PANEL, 4", RH, BI-PART, STAINLESS, B4E    |
| 55B0069F6           | 86B0010LV30 | ASM. PANEL, 4", LH, BI-PART, WHITE STUCCO, B4E |
|                     | 86B0010RV30 | ASM. PANEL, 4", RH, BI-PART, WHITE STUCCO, B4E |
| 55B0069F7           | 86B0009LV20 | ASM. PANEL, 4", LH, BI-PART, STAINLESS, B4C    |
|                     | 86B0009RV20 | ASM. PANEL, 4", RH, BI-PART, STAINLESS, B4C    |
| 55B0069F8           | 86B0009LV30 | ASM. PANEL, 4", LH, BI-PART, WHITE STUCCO, B4C |
|                     | 86B0009RV30 | ASM. PANEL, 4", RH, BI-PART, WHITE STUCCO, B4C |

| 6" PANEL ASSEMBLIES |             |                                                |
|---------------------|-------------|------------------------------------------------|
| OPTION #            | PART #      | DESCRIPTION                                    |
| 55B0084F1           | 86B0016LV20 | ASM. PANEL, 6", LH, BI-PART, STAINLESS, B6A    |
|                     | 86B0016RV20 | ASM. PANEL, 6", RH, BI-PART, STAINLESS, B6A    |
| 55B0084F2           | 86B0016LV30 | ASM. PANEL, 6", LH, BI-PART, WHITE STUCCO, B6A |
|                     | 86B0016RV30 | ASM. PANEL, 6", RH, BI-PART, WHITE STUCCO, B6A |
| 55B0084F3           | 86B0017LV20 | ASM. PANEL, 6", LH, BI-PART, STAINLESS, B6B    |
|                     | 86B0017RV20 | ASM. PANEL, 6", RH, BI-PART, STAINLESS, B6B    |
| 55B0084F4           | 86B0017LV30 | ASM. PANEL, 6", LH, BI-PART, WHITE STUCCO, B6B |
|                     | 86B0017RV30 | ASM. PANEL, 6", RH, BI-PART, WHITE STUCCO, B6B |
| 55B0084F5           | 86B0018LV20 | ASM. PANEL, 6", LH, BI-PART, STAINLESS, B6C    |
|                     | 86B0018RV20 | ASM. PANEL, 6", RH, BI-PART, STAINLESS, B6C    |
| 55B0084F6           | 86B0018LV30 | ASM. PANEL, 6", LH, BI-PART, WHITE STUCCO, B6C |
|                     | 86B0018RV30 | ASM. PANEL, 6", RH, BI-PART, WHITE STUCCO, B6C |
| 55B0084F7           | 86B0019LV20 | ASM. PANEL, 6", LH, BI-PART, STAINLESS, B6D    |
|                     | 86B0019RV20 | ASM. PANEL, 6", RH, BI-PART, STAINLESS, B6D    |
| 55B0084F8           | 86B0019LV30 | ASM. PANEL, 6", LH, BI-PART, WHITE STUCCO, B6D |
|                     | 86B0019RV30 | ASM. PANEL, 6", RH, BI-PART, WHITE STUCCO, B6D |

When ordering parts, specify Job Number,  
Door Number, and Manufacture Date.

### Door Panel Assemblies Continued...





### Door Panel Assemblies Continued...

| QTY | DESCRIPTION                                            | PART #    | ITEM # |
|-----|--------------------------------------------------------|-----------|--------|
| 1   | PANEL ASSEMBLY (SEE NOTE BELOW)                        | VARIOUS   | 1      |
| 1   | OUTER PULL HANDLE, CHROME                              | 16B756    | 2      |
| 2   | SEAL, BLADE (SIDE, TOP), (HIC + 3") + ((WIC / 2) + 3") | 15A0130NV | 3      |
| 1   | SEAL, BLADE (BOTTOM), (WIC + 2")                       | 15A0130NV | 4      |
| 1   | SEAL LOOP, LEAD EDGE, 7" (HIC + 4")                    | 15A0129NV | 5      |
| 1   | T-MOLDING, SIDE (HIC - 2")                             | 15A0132NN | 6      |
| 1   | T-MOLDING, BOTTOM (WIC / 2) - 1.75"                    | 15A0132NN | 7      |
| 1   | TRIM PIECE A                                           | 15A0133NN | 8      |
| 1   | TRIM, CORNER                                           | 15A0136NN | 9      |
| 1   | COVER, ELECTRICAL CONDUIT BOX (REF 22A141)             | 13B2136NN | 10     |
| 1   | GASKET RETAINER, PVC, SIDE (HIC)                       | 11A061    | 11     |
| 2   | GASKET RETAINER, PVC, TOP & BOTTOM (WIC / 2 + 2")      | 11A061    | 12     |
| 2   | GASKET RETAINER, PVC, LEAD EDGE (HIC)                  | 11A061    | 13     |
| 1   | WEDGE, LH, ROLLER WHEEL, XP DOOR (LH PANELS ONLY)      | 11A158    | 14     |
| 1   | WEDGE, RH, ROLLER WHEEL, XP DOOR (RH PANELS ONLY)      | 11A160    | 14     |
| 2   | SCREW, 1/4-20 X 1.00 PH OHMS SS                        | 41A015    | 15     |
| 4   | SCREW, #14 X 1.25, PH OHSMS, SS                        | 41A692    | 16     |

PANEL CONFIGURATION AND P/N'S VARY BASED ON OPENING SIZE.  
CONSULT ASI FOR SPECIFIC PANEL P/N


When ordering parts, specify Job Number,  
Door Number, and Manufacture Date.

### Face Frame Assemblies

|     |     |     | DESCRIPTION                                          | PART #               | ITEM # |
|-----|-----|-----|------------------------------------------------------|----------------------|--------|
| -   | -   | X   | ASSY, FACE FRAME, XP-IXP DOOR                        | 76B002 (F1-F4)       | -      |
| -   | X   | -   | ASSY, FACE FRAME, COOLER, S/S, XP-IXP DOOR           | 76B0041NV (F1-F4)    | -      |
| X   | -   | -   | ASSY, FACE FRAME, FREEZER, S/S, XP-IXP DOOR          | 76B0042NV (F1-F4)    | -      |
| -   | -   | 1   | EXTRUSION, FACE FRAME, MACHINED, XP-IXP DOOR         | 14B090 (F1-F4)       | 1      |
| 1   | 1   | 1   | EXTRUSION, FACE FRAME COVER, XP DOORS                | 11B055 (-1,-2,-3,-4) | 2      |
| -   | A/R | -   | BASE, FACE FRAME, XP2, S/S, HIC <= 96                | 13B2183NV20          | 3      |
| -   | A/R | -   | WELDMENT, FACE FRAME, XP2, S/S, HIC > 96             | 28B0282NV20          | 3      |
| A/R | -   | -   | ASM, FACE FRAME, XP2, INNER, S/S, FREEZER, HIC <= 96 | 24B0628NV20          | 4      |
| A/R | -   | -   | ASM, FACE FRAME, XP2, INNER, S/S, FREEZER, HIC > 96  | 24B0629NV20          | 4      |
| 1   | -   | A/R | ASM, TERMINAL BLOCK, 2 CIRCUIT (FREEZER ONLY)        | 24B0553NN            | 5      |
| 1   | -   | -   | BLOCK, TERMINAL MOUNT, FREEZER FRAME (FREEZER ONLY)  | 11A0204NN50          | 6      |
| A/R | -   | A/R | HEATER WIRE, ALUMINUM CABLE (FREEZER ONLY)           | 22A069               | 7      |
| 2   | -   | A/R | SCREW, #8 X .500", PH FHSMS, S/S (FREEZER ONLY)      | 41A909               | 8      |
| A/R | A/R | A/R | WASHER, FLAT, STD, #10 (SUPPLIED BY INSTALLER)       | N/A                  | 9      |
| A/R | A/R | A/R | SCREW, #10 X .75", TRSMS (SUPPLIED BY INSTALLER)     | N/A                  | 10     |


#### Note:

- 1) (F1-F4) & (-1, -2, -3, -4) P/N'S REFER TO HEIGHT VARIATIONS:  
F1 & -1 = HIC < 96; F2 & -2 = HIC > 96 <= 120; F3 & -3 = HIC > 120 <= 144; F4 & -4 = HIC > 144 <= 180
  - 2) P/N'S 11A0204NN50, 24B0553NN, & 41A909 ARE COMPONENTS OF ASSEMBLIES 24B0628NV20 & 24B0629NV20
  - 3) LENGTH & EXACT P/N OF HEATER WIRE (22A069) DETERMINED BY HIC OF DOOR.
- CONSULT ASI PARTS DEPT. FOR SPECIFIC P/N'S AND SPECIFICATIONS.



### Floor Hardware

| S/S | ZN | DESCRIPTION                                         | PART #   | ITEM # |
|-----|----|-----------------------------------------------------|----------|--------|
| -   | 1  | ASM, ROLLER GUIDE, TRAIL EDGE, XP DOOR, ZN          | 24B275F1 | 1      |
| 1   | -  | ASM, ROLLER GUIDE, TRAIL EDGE, XP DOOR, S/S         | 24B275F2 | 1      |
| -   | 2  | BOLT OR ANCHOR, 3/8-16, ZN (SUPPLIED BY INSTALLER)  | -        | 2      |
| 2   | -  | BOLT OR ANCHOR, 3/8-16, S/S (SUPPLIED BY INSTALLER) | -        | 2      |
| -   | 2  | WASHER, FLAT, 3/8", ZN (SUPPLIED BY INSTALLER)      | -        | 3      |
| 2   | -  | WASHER, FLAT, 3/8", S/S (SUPPLIED BY INSTALLER)     | -        | 3      |




When ordering parts, specify Job Number, Door Number, and Manufacture Date.

# REPLACEMENT PARTS



## XP 2000 Bi-Part Manual & Power


### Drive Assembly



| LH DRIVE, STAINLESS | LH DRIVE, ZINC | RH DRIVE, STAINLESS | RH DRIVE, ZINC | PART #      | DESCRIPTION                                            | ITEM # |
|---------------------|----------------|---------------------|----------------|-------------|--------------------------------------------------------|--------|
| -                   | -              | -                   | 1              | 24B0564RN10 | ASM. DRIVE, RH DC DRIVE, ZN                            | -      |
| -                   | -              | 1                   | -              | 24B0564RN20 | ASM. DRIVE, RH DC DRIVE, STAINLESS                     | -      |
| -                   | 1              | -                   | -              | 24B0564LN10 | ASM. DRIVE, LH DC DRIVE, ZN                            | -      |
| 1                   | -              | -                   | -              | 24B0564LN20 | ASM. DRIVE, LH DC DRIVE, STAINLESS                     | -      |
| -                   | 1              | -                   | 1              | 13B1983NN10 | MOUNT, DC DRIVE, ZN                                    | 1      |
| 1                   | -              | 1                   | -              | 13B1983NN20 | MOUNT, DC DRIVE, STAINLESS                             | 1      |
| 1                   | 1              | 1                   | 1              | 23B0069NN   | GEARMOTOR, SGF120-B14                                  | 2      |
| -                   | 1              | -                   | 1              | 50B0077     | SPROCKET, TAPER BUSHED, TL22-8M-20-1008 (STEEL)        | 3      |
| 1                   | -              | 1                   | -              | 50B0078     | SPROCKET, TAPER BUSHED, TL22-8M-20-1008SS (STAINLESS)  | 3      |
| -                   | 1              | -                   | 1              | 50B0075NN   | BUSHING, TAPER LOCK, #1008-20MM, (STEEL)               | 4      |
| 1                   | -              | 1                   | -              | 50B0076NN   | BUSHING, TAPER LOCK, #1008-20MM, (STAINLESS)           | 4      |
| 4                   | 4              | 4                   | 4              | 41A891      | SCREW, M6 X 1 X 16mm FHSCHS, CLASS 10.9, ALLOY STEEL   | 5      |
| 4                   | 4              | 4                   | 4              | 41A673      | 3/8-16 X 1.000, HHCS, SS                               | 6      |
| 4                   | 4              | 4                   | 4              | 41A327      | WASHER, LOCK, 3/8, REG, SPLIT, SS                      | 7      |
| 4                   | 4              | 4                   | 4              | 41A203      | WASHER, FLAT, 3/8, SS                                  | 8      |
| AR                  | AR             | AR                  | AR             | 13B2498     | BELT GUARD, DRIVE, XP HEADERS (DOORS < 7' 6" HIC ONLY) | 9      |


### Control Panel Assembly

When ordering parts, specify  
Job Number, Door Number,  
and Manufacture Date.



| 460V,<br>S/S | 460V,<br>GALV | 115/230V,<br>S/S | 115/230V,<br>GALV | PART #       | DESCRIPTION                                        | ITEM # |
|--------------|---------------|------------------|-------------------|--------------|----------------------------------------------------|--------|
| -            | -             | -                | X                 | 24B0565NN10  | ASM. MOUNT. CONTROL. DC DRIVE. 115/230V. GALV.     | -      |
| -            | -             | X                | -                 | 24B0565NN20  | ASM. MOUNT. CONTROL. DC DRIVE. 115/230V. STAINLESS | -      |
| -            | X             | -                | -                 | 24B0574NN10  | ASM. MOUNT. CONTROL. DC DRIVE. 460V. GALV.         | -      |
| X            | -             | -                | -                 | 24B0574NN20  | ASM. MOUNT. CONTROL. DC DRIVE. 460V. STAINLESS     | -      |
| -            | -             | 1                | 1                 | See ID Label | ASM. CONTROL PANEL. DC CARD. 115/230V              | 1      |
| 1            | 1             | -                | -                 | See ID Label | ASM. CONTROL PANEL. DC CARD. 460V                  | 1      |
| -            | 1             | -                | 1                 | 13B1996NN10  | BRACKET. UPPER. CONTROL. XP-2. GALV.               | 2      |
| 1            | -             | 1                | -                 | 13B1996NN20  | BRACKET. UPPER. CONTROL. XP-2. STAINLESS           | 2      |
| -            | 1             | -                | 1                 | 13B1991NN10  | CONTROL SUPPORT. DC DRIVE. GALV                    | 3      |
| 1            | -             | 1                | -                 | 13B1991NN20  | CONTROL SUPPORT. DC DRIVE. SS                      | 3      |
| 4            | 4             | 4                | 4                 | 41A671       | NUT. 5/16-18. HEX. NYLOCK. SS                      | 4      |
| 4            | 4             | 4                | 4                 | 41A345       | SCREW. 5/16-18 x 1.00. HHCS. STAINLESS             | 5      |
| 2            | 2             | 2                | 2                 | 41A657       | SCREW. 1/4-20 X .750. PHL FHMS. SS                 | 6      |
| 2            | 2             | 2                | 2                 | 41A639       | NYLON INSERT LOCKNUT. 1/4-20 UNC                   | 7      |
| A/R          | A/R           | A/R              | A/R               | 22B029       | JUNCTION BOX. WEATHERPROOF. 1-GANG (FREEZERS ONLY) | 8      |
| A/R          | A/R           | A/R              | A/R               | 22A084       | BELL BOX. COVER AND GASKET (FREEZERS ONLY)         | 9      |
| A/R          | A/R           | A/R              | A/R               | 23A0454      | CONNECTOR. CORD GRIP. .312-.375 (FREEZERS ONLY)    | 10     |
| A/R          | A/R           | A/R              | A/R               | 22A169       | FITTING. LIQUIDTIGHT. 0° (FREEZERS ONLY)           | 11     |
| A/R          | A/R           | A/R              | A/R               | 22A072       | CONDUIT. 1/2". FLEX. LIQUID TIGHT (FREEZERS ONLY)  | 12     |
| A/R          | A/R           | A/R              | A/R               | 22A073       | FITTING. LIQUIDTIGHT. 45° (FREEZERS ONLY)          | 13     |
| 1            | 1             | 1                | 1                 | 24B0575      | ASM. REMOTE CONTROL STATION. DC DRIVE              | 14     |

### Wall Track Assemblies



#### Note:

1 Bi-Part Doors use (1) RH and (1) LH Wall Track assembly.

2 Fasteners for mounting Wall Track assemblies to wall are NOT provided by ASI.

### Wall Track Assemblies Continued...

| F4 | F3 | F2 | F1 | DESCRIPTION                                    | PART #      | ITEM |
|----|----|----|----|------------------------------------------------|-------------|------|
| -  | -  | -  | 1  | ASM, WALL TRACK, BI-PART, XP-2, GALVANIZED, RH | 24B0572F1   | -    |
| -  | -  | 1  | -  | ASM, WALL TRACK, BI-PART, XP-2, STAINLESS, RH  | 24B0572F2   | -    |
| -  | 1  | -  | -  | ASM, WALL TRACK, BI-PART, XP-2, GALVANIZED, LH | 24B0572F3   | -    |
| 1  | -  | -  | -  | ASM, WALL TRACK, BI-PART, XP-2, STAINLESS, LH  | 24B0572F4   | -    |
|    |    |    |    |                                                |             |      |
| -  | -  | -  | 1  | WLDMT, WALL TRACK BP, XP DOORS, RH, GALV       | 28B248F1    | 1    |
| -  | -  | 1  | -  | WLDMT, WALL TRACK BP, XP DOORS, RH, S/S        | 28B248F2    | 1    |
| -  | 1  | -  | -  | WLDMT, WALL TRACK BP, XP DOORS, LH, GALV       | 28B248F3    | 1    |
| 1  | -  | -  | -  | WLDMT, WALL TRACK BP, XP DOORS, LH, S/S        | 28B248F4    | 1    |
| 1  | 1  | 1  | 1  | BRACKET, DOOR RETURN                           | 13B911      | 2    |
| -  | -  | 1  | 1  | ASSY, DETENT BRACKET W/GUIDE BLOCK, RH         | 24B170F1    | 3    |
| 1  | 1  | -  | -  | ASSY, DETENT BRACKET W/GUIDE BLOCK, LH         | 24B170F2    | 3    |
| -  | 1  | -  | 1  | BRKT, XP WALL TRACK, DOOR MOUNT, GALV          | 13B2015NN10 | 4    |
| 1  | -  | 1  | -  | BRKT, XP WALL TRACK, DOOR MOUNT, S/S           | 13B2015NN20 | 4    |
| 4  | 4  | 4  | 4  | INSERT, HEX, 3/8-16, GRIP RANGE .027-.150      | 41A788      | 5    |
| -  | 2  | -  | 2  | BOLT, 5/16-18 X .75 CARRIAGE, ZN               | 41A343      | 6    |
| 2  | -  | 2  | -  | BOLT, 5/16-18 X .75 CARRIAGE, S/S              | 41A344      | 6    |
| -  | 2  | -  | 2  | NUT, 5/16 WHIZLOCK, ZN                         | 41A033      | 7    |
| 2  | -  | 2  | -  | NUT, 5/16 WHIZLOCK, S/S                        | 41A712      | 7    |
| -  | 2  | -  | 2  | SCREW, 3/8 X 1.00 HEX HEAD, WHIZLOCK, ZN       | 41A218      | 8    |
| 2  | -  | 2  | -  | SCREW, 3/8 X 1.00 HEX HEAD, WHIZLOCK, S/S      | 41A793      | 8    |
| -  | 4  | -  | 4  | SCREW, 1/4-20 x .750, SL PHMS, ZN              | 41A489      | 9    |
| 4  | -  | 4  | -  | SCREW, 1/4-20 X 1.00, PH PHMS, S/S             | 41A250      | 9    |

When ordering parts, specify Job Number,  
Door Number, and Manufacture Date.

## XP 2000 Bi-Part Manual & Power

### Heat System & Kick Plate Options

#### Heat System Option (Freezer)

| 55B0070F2 - OPTION, HEAT SYSTEM, FREEZER, BI-PART     |           |                  |
|-------------------------------------------------------|-----------|------------------|
| DESCRIPTION                                           | PART #    | QTY              |
| ASM. REMOTE CFCI, 20A                                 | 24B0733   | 1                |
| ASM. TERMINAL BLOCK, 2 CIRCUIT                        | 24B0553NN | 2                |
| CONNECTOR, CORD GRIP, .312-.375                       | 23A0454   | 4                |
| CABLE, SOOW, 18/3                                     | 23A005    | A/R, WIC/2 + 36" |
| BELL BOX, COVER AND GASKET                            | 22B084    | 2                |
| JUNCTION BOX, WEATHERPROOF, 1-GANG                    | 22B029    | 2                |
| POLYOLEFIN TUBING, 3M 41875                           | 22B0015NN | 16               |
| QUICK DISCONNECT TERMINAL, FEMALE, INSULATED, .187 Wd | 22B0014NN | 8                |
| BUSHING, SNAP, HEYCO# 2053                            | 22A221    | 2                |
| BASE MOUNTING, CABLE TIE                              | 22A218    | AR               |
| CABLE TIE, TY-RAP, 3.5" LONG                          | 22A109-1  | AR               |
| STRAIN RELIEF, .563-.625 DIA.                         | 22A086    | 1                |
| HEATER WIRE, ALUMINUM CABLE                           | 22A069    | A/R (SEE NOTE 1) |
| CONNECTOR, HEATER WIRE                                | 22A048    | A/R              |
| LUG, RING, 14-16 AWG, #8                              | 22A043    | 4                |
| WIRE, 16GA, PURPLE, 600V                              | 22A030-8  | AR               |
| WIRE, 16GA, BLACK, 600V                               | 22A030-4  | AR               |
| WIRE, 16GA, ORANGE, 600V                              | 22A030-3  | AR               |
| WIRE, 16GA, GREEN, 600V                               | 22A030-2  | AR               |
| WIRE, 16GA, WHITE, 600V                               | 22A030-1  | AR               |
| COVER, ELECTRIC CONDUIT BOX                           | 13B2136NN | 2                |
| GROMMET, .500 ID                                      | 11A140    | 2                |
| GROMMET, .875 ID                                      | 11A086    | A/R (SEE NOTE 2) |

#### Notes:

1 Length required is calculated based on WIC & HIC of door.

2 QTY (2) for Manual Door, (1) for Power Door

#### Kick Plate Options

| F6 | F5 | F4 | F3 | F2 | F1 | PART #      | DESCRIPTION                                |
|----|----|----|----|----|----|-------------|--------------------------------------------|
| -  | -  | -  | -  | -  | 1  | 55B0047F1   | KICKPLATE, BI-PART, 12" STAINLESS, INSIDE  |
| -  | -  | -  | -  | 1  | -  | 55B0047F2   | KICKPLATE, BI-PART, 12" STAINLESS, OUTSIDE |
| -  | -  | -  | 1  | -  | -  | 55B0047F3   | KICKPLATE, BI-PART, 36" STAINLESS, INSIDE  |
| -  | -  | 1  | -  | -  | -  | 55B0047F4   | KICKPLATE, BI-PART, 36" STAINLESS, OUTSIDE |
| -  | 1  | -  | -  | -  | -  | 55B0047F5   | KICKPLATE, BI-PART, 36" HDPE, INSIDE       |
| 1  | -  | -  | -  | -  | -  | 55B0047F6   | KICKPLATE, BI-PART, 36" HDPE, OUTSIDE      |
| -  | -  | -  | -  | -  | 1  | 13B1581NV20 | KICKPLATE, BI-PART, 12" STAINLESS, INSIDE  |
| -  | -  | -  | -  | 1  | -  | 13B1582NV20 | KICKPLATE, BI-PART, 12" STAINLESS, OUTSIDE |
| -  | -  | -  | 1  | -  | -  | 13B1583NV20 | KICKPLATE, BI-PART, 36" STAINLESS, INSIDE  |
| -  | -  | 1  | -  | -  | -  | 13B1584NV20 | KICKPLATE, BI-PART, 36" STAINLESS, OUTSIDE |
| -  | 1  | -  | -  | -  | -  | 11B0073NV50 | KICKPLATE, BI-PART, 36" HDPE, INSIDE       |
| 1  | -  | -  | -  | -  | -  | 11B0074NV50 | KICKPLATE, BI-PART, 36" HDPE, OUTSIDE      |


When ordering parts, specify Job Number, Door Number, and Manufacture Date.



### Miscellaneous Options


#### Pull Station Options

| F2 | F1 | DESCRIPTION                               | PART #   | ITEM # |
|----|----|-------------------------------------------|----------|--------|
| -  | X  | ASM. PULL STATION & BRACKET, UNHEATED     | 24C507F1 | -      |
| X  | -  | ASM. PULL STATION & BRACKET, HEATED       | 24C507F2 | -      |
| -  | 1  | ASM. PULL SWITCH, CEILING, UNHEATED       | 24B102F1 | 1      |
| 1  | -  | ASM. PULL SWITCH, CEILING, HEATED         | 24B102F2 | 1      |
| 1  | 1  | BRACKET, PULL SWITCH MOUNT                | 13B641   | 2      |
| 1  | 1  | INSTALL GUIDE, OPT DEVICES, DC CONTROLLER | 17A0298  | -      |



#### Push Button Options

| DESCRIPTION                               | PART #   | ITEM # |
|-------------------------------------------|----------|--------|
| PUSH BUTTON STATION, UN-HEATED            | 24B029F1 | 1      |
| PUSH BUTTON STATION, HEATED               | 24B029F2 | 2      |
| INSTALL GUIDE, OPT DEVICES, DC CONTROLLER | 17A0298  | -      |



#### Motion Detector Options


| DESCRIPTION                               | PART #  | ITEM # |
|-------------------------------------------|---------|--------|
| MOTION DETECTOR, FALCON                   | 23A284  | -      |
| PRESENCE SENSOR, BEA IS-40-P              | 23A102  | -      |
| MOTION AND PRESENCE SENSOR, BEA IS-40     | 23A101  | -      |
| ADJUSTABLE SENSOR MOUNTING BRACKET        | 22A112  | -      |
| PROGRAMMING REMOTE                        | 23A285  | -      |
| INSTALL GUIDE, OPT DEVICES, DC CONTROLLER | 17A0298 | -      |

#### Radio Control System Options

| DESCRIPTION                               | PART #  | ITEM # |
|-------------------------------------------|---------|--------|
| TRANSMITTER, RADIO CONTROL, 1 CHANNEL     | 23A253  | -      |
| TRANSMITTER, RADIO CONTROL, 2 CHANNEL     | 23A255  | -      |
| RECEIVER, RADIO CONTROL, 1 CHANNEL        | 23A252  | -      |
| RECEIVER, RADIO CONTROL, 2 CHANNEL        | 23A254  | -      |
| INSTALL GUIDE, OPT DEVICES, DC CONTROLLER | 17A0298 | -      |

#### Photoeye Options

| F2 | F1 | DESCRIPTION                               | PART #    |
|----|----|-------------------------------------------|-----------|
| -  | X  | ASM. P/E MOUNT, TRANSMITTER               | 24B0867F1 |
| X  | -  | ASM. P/E MOUNT, RECEIVER                  | 24B0867F2 |
| -  | 1  | PHOTOEYE, TRANSMITTER                     | 23B0159   |
| 1  | -  | PHOTOEYE, RECEIVER                        | 23B0160   |
| 1  | 1  | INSTALL GUIDE, OPT DEVICES, DC CONTROLLER | 17A0298   |



#### Loop Detector Options

| DESCRIPTION                               | PART #  | ITEM # |
|-------------------------------------------|---------|--------|
| LOOP DETECTOR, 24 VAC                     | 23A019  | -      |
| WIRE, 14 GA., BLACK, 7 STRAND #XHHW       | 22A085  | -      |
| EMBEDDING SEALER                          | 23A160  | -      |
| LOOP DETECTOR INSTALLATION GUIDE          | 17C174  | -      |
| INSTALL GUIDE, OPT DEVICES, DC CONTROLLER | 17A0298 | -      |

When ordering parts, specify Job Number, Door Number, and Manufacture Date.



## Control Panel

[illegible]

4



**OPEN UP TO WHAT'S POSSIBLE**



**asidoors.com**

**ASI Doors, Inc.** 5848 North 95th Court, Milwaukee, WI 53225 (800) 558-7068