


OPPOSITE SIDE TEMPERATURE _____ **ADVISE**

MOUNT SIDE TEMPERATURE _____ **ADVISE**



OPTIONS

DOOR PANEL MATERIAL:
■ - WHITE STUCCO □ - FIBERGLASS □ - 304 #4 STAINLESS STEEL

DOOR PANEL TYPE:
■ FREEZER - 4" THICK

EXTERIOR DOOR HANDLE TYPE:
■ CHROME

FLOOR ROLLER SYSTEM:
■ ZINC

FACE FRAME CONSTRUCTION:
■ ALUMINUM W/POLYPROPYLENE COVERS

HEADER MATERIAL:
■ ALUMINUM/ZINC/GALVANIZED

OPERATOR TYPE:
■ ASI/DC DRIVE CONTROLS

VOLTAGE:
□ - 115V 1ø 60HZ □ - 230V 1ø 60HZ □ - 460V 3ø 60HZ

ADVISE

MIRROR HEADER:
■ - NONE

PHOTO EYE: STANDARD (24B0867F1/F2)
■ - 1 SET (SEND & RECEIVE) REMOTE MOUNT

INSIDE TRIM:
■ - NONE

JAMB CAPPING:
■ - NONE

KICKPLATE:
■ - NONE - INSIDE
■ - NONE - OUTSIDE

LED LIGHT BAR WARNING SYSTEM:
■ - NONE

ACTIVATION DEVICES

(X045) () Single Button Station, Unheated, Loose (24B029F1)

(X046) () Single Button Station, Heated, Loose (24B029F2)

(X047) () 3-Button Station, Open/Close/E-Stop, Loose (24A001)

(X100) () Pull Cord, Unheated, Loose (24C507F1)

(X101) () Pull Cord, Heated, Loose (24C507F2)

SPECIAL NOTES

TAG DOOR(S) AS: *****ADVISE*****

***** **ADVISE** *****

* DOOR TAG:
* OPERATOR LOCATION: RIGHT HAND (SHOWN), LEFT IS OPPOSITE
* VOLTAGE: 115V OR 230V 1ø
* APPLICATION DATA: WASHDOWN ENVIRONMENT - YES OR NO?
* MOUNT SIDE TEMP: _____
* OPPOSITE SIDE TEMP: _____

APPROVAL DRAWING

5848 North 95th Court
Milwaukee, WI 53225
1-800-558-7068
www.asidoors.com

TITLE
BI-PART SLIDE DOOR, RH OPERATOR,
POWERED, 4" FREEZER

DRAWN BY

DATE

SHEET
1 OF

DRAWING NO.

REV.

APPLICATION DATA **ADVISE**
WASHDOWN ENVIRONMENT: YES ☐ OR NO ☐

NOTE: MOUNTING HARDWARE BY OTHERS

HEAT SYSTEM AMP DRAW
_____ AMPS @ 115V
NOTE: 115V HEAT POWER BY OTHERS (GFCI REQUIRED)

MOTOR/CONTROL SYSTEM AMP DRAW

VOLT/PHASE	RECOMMENDED SERVICE
460/3	2.8 AMPS
230/1	5.5 AMPS
115/1	11 AMPS

NOTE: 230 VAC CONTROLS ARE SET TO WORK WITH EITHER SINGLE PHASE OR 3 PHASE POWER INPUT.

DOOR DIMENSIONS

BUILD WIC	A	8'-0"
BUILD HIC	B	10'-0"
A/2 + 13 1/2"	C	5'-1 1/2"
2A + 27"	D	18'-3"
B + 11"	E	10'-11"

JAMB DEPTH DETAIL

STANDARD FRAME DETAIL

APPROVALS
FABRICATION CAN PROCEED ACCORDING TO THE SPECIFICATION SHOWN EXCEPT AS NOTED.

BY _____ DATE _____

ASI JOB NUMBER:
CUSTOMER ORDER NUMBER:
SOLD TO:
END USER:

QUANTITY OF DOORS:
DOOR MODEL NO: XP 2002
DOOR ASSEMBLY NO: 90B0002
ELECTRICAL DRAWING NO: